

## **AMENDMENTS TO THE CLAIMS**

Kindly amend claims 15, 16 and 23. This listing of claims will replace all prior versions, and listings, of claims in the application.

### *Listing of Claims*

Claims 1-14 (cancelled)

Claim 15 (currently amended): A method in conjunction with making a telecommunication call, the method comprising:

- storing connection codes on a connection code memory;
- storing graphic images on a graphic memory, said graphic images identifying owners of said connection codes;
- displaying graphic images on a display of a telecommunication terminal arrangement while browsing directly or indirectly at least partly through said graphic images stored on said graphic memory of said telecommunication terminal arrangement to locate a desired graphic image, wherein while browsing said graphic images identifying said owners of said connection codes on said display, moving from one main category of said graphic memory to another main category, and within a desired main category, moving between at least one of subcategories and members of said main category; wherein at least one of a subcategory and a main category comprises at least one graphic image corresponding to a connection code; and
- establishing a telecommunication call with a transmitter included in said telecommunication terminal arrangement automatically to a connection code connected to said desired graphic image displayed on said display when receiving a selection of said desired graphic image.

Claim 16 (currently amended): The method according to claim 15, further comprising:

- storing audio signals on an audio memory linked to said graphic memory; and
- playing at least one audio signal with each graphic image while browsing said graphic images;

wherein the call is established by selecting said desired graphic image itself.

Claim 17 (previously presented): The method according to claim 15, wherein a graphic image is at least one of color and black and white information.

Claim 18 (previously presented): The method according to claim 15, wherein a graphic image fills a significant part, advantageously 50 - 100 %, of said display of said telecommunication terminal arrangement.

Claim 19 (previously presented): The method according to claim 15, wherein the indirect, at least partial browsing of said connection codes is performed by at least partially browsing said graphic memory linked to a connection code memory.

Claim 20 (previously presented): The method according to claim 15, wherein the direct, at least partial browsing of said connection codes is performed by at least partially browsing a connection code memory linked to said graphic memory.

Claim 21 (previously presented): The method according to claim 15, wherein within said graphic memory, a move occurs to the next graphic image by touching or pressing a graphic image or by other means.

Claim 22 (previously presented): The method according to claim 15, that wherein after a specific delay controlled by a delay unit, said displayed graphic image is replaced by the next graphic image.

Claim 23 (currently amended): A telecommunication terminal arrangement, which comprises:

a transmitter;

a connection code memory in which a plurality of connection codes is stored;

a graphic memory in which a plurality of graphic images is stored, said graphic images identifying owners of said connection codes;

means of searching used to locate a desired graphic image in said graphic memory, wherein said graphic memory is linked to function together with said connection code memory so that while directly or indirectly browsing said graphic images, said arrangement displays graphic images related to said owners of said connection codes on at least one of a display included in said arrangement and a display connected to said arrangement, wherein the graphic memory comprises a hierarchic menu structure, which comprises several main categories, and said main categories comprise at least one of one or more subcategories and members of said main category; wherein at least one of a subcategory and a main category comprises at least one graphic image corresponding to a connection code; and

means of commanding used to command said transmitter to automatically establish a telecommunication call to a connection code connected to said desired graphic image displayed on said display when receiving a selection of said desired graphic image, the connection code being retrieved from said connection code memory.

Claim 24. (previously presented): The arrangement according to claim 23, wherein the main categories of said menu structure include at least one of the following main categories: health care services, authorities, relatives, friends, stores, financial institutions.

Claim 25. (previously presented): The arrangement according to claim 23, wherein said display is a touch, pressure, or otherwise sensitive display which also forms said means of commanding.

Claim 26. (previously presented): The arrangement according to claim 23, wherein the arrangement is formed into a single entirety advantageously in the form of a bracelet, which comprises said means, which are a transmitter, a connection code memory, a graphic memory, means of searching, means of commanding, at least one of a display and a display connector, at least one of earphones and an earphone jack, and at least one of a microphone and a microphone connector.

Claim 27 (previously presented): The arrangement according to claim 23, wherein said display, which advantageously is a television, is a unit separate from said integrated entirety comprising a transmitter, a connection code memory, a graphic memory, means of searching, and means of commanding, and which unit is connected by wire or wirelessly to an integrated entirety.

Claim 28. (previously presented): The arrangement according to claim 23, wherein the arrangement is realized using a cellular phone operating in at least one of a GSM, DCS, CDMA, UMTS or WCDMA system.

Claim 29 (previously presented): The arrangement according to claim 23, wherein the arrangement is realized using a digital television terminal device.

Claim 30 (previously presented): The arrangement according to claim 23, further comprising:

an audio memory in which audio signals have been stored, wherein the graphic memory is linked to function together with said audio memory, and whereby said graphic memory and audio memory form a memory device which includes multimedia-type graphic and audio information.